

Winston®

MINITURE CIRCUIT BREAKER



DEX0016	1P 6A MCB 6KA C-TYPE MCB
DEX0017	1P 10A MCB 6KA C-TYPE MCB
DEX0011	1P 16A MCB 6KA C-TYPE MCB
DEX0023	1P 20A MCB 6KA C-TYPE MCB
DEX0024	1P 25A MCB 6KA C-TYPE MCB
DEX0012	1P 32A MCB 6KA C-TYPE MCB



DEX0025	2P 32A MCB 6KA C-TYPE MCB
DEX0014	2P 40A MCB 6KA C-TYPE MCB
DEX0026	2P 63A MCB 6KA C-TYPE MCB



DEX0028	4P 40A MCB 6KA C-TYPE MCB
DEX0015	4P 63A MCB 6KA C-TYPE MCB

RESIDUAL CURRENT CIRCUIT BREAKER



DEX0001 **2P RCCB 40A x 30mA (AC type)**

DEX0002 **2P RCCB 40A x 100mA (AC type)**

DEX00011 **2P RCCB 40A x 30mA (A type)**

DEX00022 **2P RCCB 40A x 100mA (A type)**

DEX0003 **2P RCCB 63A x 30mA (A type)**

DEX0004 **2P RCCB 63A x 100mA (A type)**



DEX0005 **4P RCCB 40A x 30mA (AC Type)**

DEX0006 **4P RCCB 40A x 100mA (AC Type)**


DEX0007 **4P RCCB 63A x 30mA (AC Type)**

DEX0008 **4P RCCB 63A x 100mA (AC Type)**

DEX00077 **4P RCCB 63A x 30mA (A Type)**

DEX00088 **4P RCCB 63A x 100mA (A Type)**

RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION



RCBO1P6A	RCBO 1MOD 6A 30MA
RCBO1P10A	RCBO 1MOD 10A 30MA
RCBO1P16A	RCBO 1MOD 16A 30MA
RCBO1P20A	RCBO 1MOD 20A 30MA
RCBO1P25A	RCBO 1MOD 25A 30MA
RCBO1P32A	RCBO 1MOD 32A 30MA



RCBO2P40A30MA	2P RCBO 40A 30MA (A TYPE)
RCBO2P40A100MA	2P RCBO 40A 100MA (A TYPE)

OVER / UNDER VOLTAGE PROTECTION RELAY



WD-D63
DIGITAL VOLTAGE & CURRENT
PROTECTION DEVICE
230V 0V-63A



TDP-3
AUTO-RECOVERY VOLTAGE
PROTECTION DEVICE
400V 63A 3PHASE SETTABLE

SURGE PROTECTOR



DEX0062	SURGE PROTECTOR 1 PHASE
DEX0064	SURGE PROTECTOR 3 PHASE

Winston
 Surge Protector Device
TZG40-B
 Uc: ~385V
 Imax: 60kA
 In: 30kA
 Up: < 2.0kV
 GB18802.1 CE

Winston
 Surge Protector Device
TZG40-B
 Uc: ~385V
 Imax: 60kA
 In: 30kA
 Up: < 2.0kV
 GB18802.1 CE

AUTO RECLOSURE RCCB



GYL9-2P4030
GYL9-2P40100

AUTO RECLOSURE 2P 40A 30MA A-TYPE
AUTO RECLOSURE 2P 40A 100MA A-TYPE

10sec -> 60sec -> 300sec Auto Reclose



GYL9-4P6330
GYL9-4P63100

AUTO RECLOSURE 4P 63A 30MA A-TYPE
AUTO RECLOSURE 4P 63A 100MA A-TYPE

10sec -> 60sec -> 300sec Auto Reclose

TIMERS



DEX0029
STAIRCASE TIMER
LIGHTING CONTROL
230V 0.5s-20mins



DEX0051
24HR TIMER 1MOD 230V 16A
WITH BACK-UP BATTERY
15MINS INTERVAL



TM919A-2
ELECTRONIC WEEKLY 7 DAYS
PROGRAMMABLE 230V 16A



DDS6619
DIGITAL 1P KWH SUB-METER